

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

---

In re Letters Patent of:  
Mineo Yamakawa et al.

Patent No.: 7,381,529

Issued: June 3, 2008

For: METHODS AND COMPOSITIONS FOR  
DETECTING NUCLEIC ACIDS USING  
SCANNING PROBE MICROSCOPY AND  
NANOCODES

---

**REQUEST FOR CERTIFICATE OF CORRECTION  
PURSUANT TO 37 CFR 1.323 AND 1.322**

Attention: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted typographical errors which should be corrected. A listing of the errors to be corrected is attached.

The typographical errors marked with an "A" on the attached list are found in the application as filed by applicant. Payment in the amount of \$100.00 covering the fee set forth in 1.20(a) is enclosed.

The typographical errors marked with a "P" on the attached list are not in the application as filed by applicant. Also given on the attached list are the documents from the file history of the subject patent where the correct data can be found.

The errors now sought to be corrected are inadvertent typographical errors the correction of which does not involve new matter or require reexamination.

Transmitted herewith is a proposed Certificate of Correction effecting such corrections. Patentee respectfully solicits the granting of the requested Certificate of Correction.

The Commissioner is authorized to charge any deficiency of up to \$300.00 or credit any excess in this fee to Deposit Account No. 04-0100.

Dated: June 25, 2008

Respectfully submitted,

By

Marie Collazo

Registration No.: 44,085

DARBY & DARBY P.C.

P.O. Box 770

Church Street Station

New York, New York 10008-0770

(212) 527-7700

(212) 527-7701 (Fax)

Attorneys/Agents For Applicant

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,381,529

Page 1 of 1

APPLICATION NO.: 10/750,515

ISSUE DATE : Dec. 4, 2007

INVENTOR(S) : Yamakawa et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the face page, in field (56), under "Other Publications", in column 2, line 3, delete "Fingerprints" and insert - - Fingerprints - -, therefor.

In column 41, line 7, in Claim 3, delete "nucleotide" and insert - - nucleotide - -, therefor.

In column 42, line 6, in Claim 11, delete "tuiuielirig" and insert - - tunneling - -, therefor.

### MAILING ADDRESS OF SENDER (Please do not use customer number below):

Raj S. Dave, Esq.

DARBY &amp; DARBY P.C.

1

P.O. Box 770

Church Street Station

New York, New York 10008-0770

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

# Issued Patent Proofing Form

Doc. No.

PFR/RPT/001

## Process Title: Proofreading

Version No.

1.0

Rev. Date

05-May-08

## DARBY & DARBY

Issued Patent Proofing Form

File#: 210580206453-US0

Note: **P** = USPTO Error

**A** = Applicant Error

US Serial No.: 10/750,515

US Patent No.: US 7,381,529 B2

Issue Date: Jun. 3, 2008

Title: **METHODS AND COMPOSITIONS FOR DETECTING NUCLEIC ACIDS USING SCANNING PROBE MICROSCOPY AND NANOCODES**

S. No.	P/A	Original		Issued Patent		Description of Error
		Page	Line	Column	Line	
1	A	Sheet 2 of 2 List of References cited by applicant and considered by examiner (12/23/2005)	Entry 2 Line 1 (Non Patent Literature Documents)	First Page Col. 2 (Other Publications)	3	Delete "Fingerprints" and insert - - Fingerprints - -, therefor.
2	P	Page 5 Claims (01/25/2008)	Claim 10 Line 2	41	7	In Claim 3, delete "nucileotide" and insert - - nucleotide - -, therefor.
3	P	Page 4 Claims (01/25/2008)	Claim 9 Line 6	42	6	In Claim 11, delete "tuiuielirig" and insert - - tunneling - -, therefor.



US007381529B2

(12) **United States Patent**  
**Yamakawa et al.**

(10) **Patent No.:** **US 7,381,529 B2**  
(45) **Date of Patent:** **Jun. 3, 2008**

(54) **METHODS AND COMPOSITIONS FOR  
DETECTING NUCLEIC ACIDS USING  
SCANNING PROBE MICROSCOPY AND  
NANOCODES**

WO WO 01/25002 A1 4/2001  
WO WO 2004/027095 A1 4/2004  
WO WO 2004/038037 A2 5/2004

#### OTHER PUBLICATIONS

(75) Inventors: **Mineo Yamakawa**, Campbell, CA  
(US); **Andrew Berlin**, San Jose, CA  
(US)

Nicewarner-Pena et al., "Submicrometer Metallic Barcodes", Science, Oct. 5, 2001, vol. 294, pp. 137-141.  
Cao et al., "Nanoparticles with Raman Spectroscopic **Fingerprints** for DNA and RNA Detection", Science, Aug. 30, 2002, vol. 297, pp. 1536-1540.

(73) Assignee: **Intel Corporation**, Santa Clara, CA  
(US)

Doering, et al., "Spectroscopic Tags Using Dye-Embedded Nanoparticles and Surface-Enhanced Raman Scattering", *Analytical Chemistry*, :5-9.

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 282 days.

Freitag, et al., "Local Electronic Properties of Single-Wall Nanotube Circuits Measured by Conducting Tip AFM", *Am. Phys. Soc.* 62(4):R2307-R2310, (Jul. 2000).

(21) Appl. No.: **10/750,515**

Han, et al., "Quantum-dot-tagged Microbeads for Multiplexed Optical Coding of Biomolecules", *Nat. Biotech.* 19:631-635 (Jul. 2001).

(22) Filed: **Dec. 31, 2003**

Mulvaney, et al., "Glass-Coated, Analyte-Tagged Nanoparticles: A New Tagging System Based on Detection with Surface-Enhanced Raman Scattering", *Am Chem Soc.* 19:4784-4790 (2003).

(65) **Prior Publication Data**

US 2005/0147981 A1 Jul. 7, 2005

\* cited by examiner

(51) **Int. Cl.**  
**C12Q 1/68** (2006.01)

*Primary Examiner*—James Martinell

(52) **U.S. Cl.** ..... **435/6**

(74) *Attorney, Agent, or Firm*—Darby & Darby, P.C.

(58) **Field of Classification Search** ..... None  
See application file for complete search history.

(57) **ABSTRACT**

(56) **References Cited**

#### U.S. PATENT DOCUMENTS

6,013,456 A	1/2000	Akhavan-Tafti	435/6
6,060,237 A *	5/2000	Nygren et al.	435/6
6,174,677 B1	1/2001	Vo-Dinh	435/6
6,361,944 B1 *	3/2002	Mirkin et al.	435/6
6,514,767 B1	2/2003	Natan	436/166
6,537,755 B1	3/2003	Drmanac	435/6
2003/0148289 A1	8/2003	Sundararajan et al.	435/6
2004/0058328 A1 *	3/2004	Chan et al.	435/6
2004/0126820 A1 *	7/2004	Chan et al.	435/7.4
2005/0147963 A1 *	7/2005	Su et al.	435/5
2005/0208554 A1 *	9/2005	Chan et al.	435/6

#### FOREIGN PATENT DOCUMENTS

WO WO 00/29617 5/2000

A method for determining a nucleotide sequence of a nucleic acid is provided that includes contacting the nucleic acid with a series of labeled oligonucleotides for binding to the nucleic acid, wherein each labeled oligonucleotide includes a known nucleotide sequence and a molecular nanocode. The nanocode of an isolated labeled oligonucleotides that binds to the nucleic acid is then detected using SPM. Nanocodes of the present invention in certain aspects include detectable features beyond the arrangement of tags that encode information about the barcoded object, which assist in detecting the tags that encode information about the barcoded object. The detectable features include structures of a nanocode or associated with a nanocode, referred to herein as detectable feature tags, for error checking/error-correction, encryption, and data reduction/compression.

**19 Claims, 5 Drawing Sheets**

41

2. The method of claim 1, wherein the one or more coded oligonucleotide probes comprise permutations of a linear order of nucleic acid residues, which linear order represents all possible complementary sequences for a particular length of oligonucleotide.

3. The method of claim 2, further comprising determining the nucleotide sequences of oligonucleotides that bind to the target nucleic acid.

4. The method of claim 3, further comprising determining a nucleotide sequence of the target nucleic acid from the sequences of oligonucleotides that bind to the target nucleic acid.

5. The method of claim 1, wherein the nanocode is selected from the group consisting of carbon nanotubes, fullerenes, submicrometer metallic barcodes, nanoparticles and quantum dots.

6. The method of claim 1, wherein the nucleic acid is attached to a surface.

7. The method of claim 6, further comprising ligating adjacent coded probes that are hybridized to the nucleic acid.

8. The method of claim 7, further comprising separating ligated coded probes from the target nucleic acid and non-ligated coded probes.

9. The method of claim 8, wherein the ligated coded probes form reading frames.

10. The method of claim 1, further comprising aligning the coded probes on a surface by molecular combing.

11. The method of claim 1, wherein the scanning probe microscopy is atomic force microscopy, scanning tunneling

42

microscopy, lateral force microscopy, chemical force microscopy, force modulation imaging, magnetic force microscopy, high frequency magnetic force microscopy, magnetoresistive sensitivity mapping, electric force microscopy, scanning capacitance microscopy, scanning spreading resistance microscopy, tunneling atomic force microscopy or conductive atomic force microscopy.

12. The method of claim 1, further comprising identifying the target nucleic acid from the coded probes that bind to the target nucleic acid.

13. The method of claim 1, wherein two or more target nucleic acids are present in a sample.

14. The method of claim 1, wherein at least two target nucleic acids are contacted in the sample at the same time.

15. The method of claim 1, wherein the feature tag is provided by a detectable feature tag associated with the nanocode.

16. The method of claim 15 wherein the feature tag comprises a start tag.

17. The method of claim 1, further comprising transforming the molecular nanocode to form a decompressed nanocode.

18. The method of claim 1, wherein the feature tag comprises a barcode segment.

19. The method of claim 1, wherein the feature tag comprises a header segment and an encoding segment.

\* \* \* \* \*